Work Orde November-27-12	er ID 93897 2:43:54 PM			*9389	97*	•				Page 1
Revision ID: Item Name:		Qty: 6.00 Qty: 6.00	*6* *6*	Accept	*N900 Cust Item Customer:	¥'	೧ ೧*	Setup Sta	1.71	S1* S2*
Approvals:	Process Plan:	U T	Date: 12-11-2	A Tooling:	D	ate:		Run Sta	rt *N	R1*
	QC:		Date:	SPC (Y/N):		ate:		Sto	*N	R2*
Sequence ID/ Work Center ID	Opera Descri			Set Up/ Run Hours	Tool ID	Tool # Pl	an Accep	t Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision N	or	and the second second	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			,.	
D2939	Rev C					•				
*100 *100* HAAS 1	HAAS (ENC VERTICAL	L MACHINING #1	0.00		٠.	16	5_1		DAS 25 13-3-6
HAAS CNC vertical	machine #1	Program pa number are inspect as p	programmed correctly.2	nber 1-Inspect part number and 2-Machine Step No 1 of Folio a d Dimension Sheet 3-Machine	nd visually		· ए			i,
110				0.00		, *				90 0 As
110	CONVE	NTIONAL MIL	LING MACHINE				,			25 3-3-
Mill Conv Conventional Milling	. i Machine	Memo Machine Ko	eyway and inspect per at	0.00	· • • • • • • • • • • • • • • • • • • •					0-0
	, ,	,	·,	4.				• •		MO
120	QC1- lņ	spect dimension	ns to dimension sheet	0.00						DAS.
120				1 1 2						2513-3-2
QC		Memo		ب _{الخبور} 0.00						
Quality Control			•	••						

N/CD+	Vac	1	No
NCR:	Yes	/	NO

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: Date: 13/04/16

									Q	A Closed:	Date	e: (3)4/12
Work Order:	9	380	17		DISPOSITION		/	AGAINS	T DEPA	ARTMENT	/PROCESS	
	Da		· · ·		Rework Scrap Use-as-is Work Order Update		Thern	Skid-tube Crosstub Machining Small Fa noforming Finishin Large Fab Composit	b g		Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root Cause	Date	Step	Qty	. /	ption of work order update or Non-conformance	1	nitial ief Eng	Action Description		Sign & Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved	13/4/1		Jo (Machi centar Slot	red slot 15 off. by epplox 0.003. 15 up to 0.517 wides	15/	(1) 1411	SCRAP One. Oty 5 are accepted based on fish sit	16 /	3-41	13/04/0	1 13.04.02
					· F	AUL	T CATE	GORY				
Landing	Gear Bending Centre No Cracks	t Concer	ntric to	o/s	General Bend BOM/Route Broken/Damaged		Grain Hardwa Inspecti	re on Incomplete		ovalized over/Under art Incorre	⊢	Pressure/Forced Temperature/Cure Weld
	Crushed/C Cuffs Heat Treat	•			Burrs Contamination Countersink			ions Incomplete/Unclear	□P	art Lost/M art Moved ositioned V		Wrong Stock Pulled
	Inspection Ripples in		Tube		Cut Too Short Drill Holes	\vdash	Misread Offset	i ·	∐Р	ower Loss/	Surge [Other
	Torque W		xtrusio	n	Drawing	\vdash		Calibration	_			
-	Turning Se				Finish	\vdash		Sequence	_			
	Wave/Twi	-	e		Folio	口	Outside	Dimensions				

Work Orde November-27-12				*938	397*	•					Page
Item ID: Revision ID: Item Name:	D2939-1 Saddle LH In	, 206		Accept	*N900	040	100)*	Setup Sta		S1* S2*
Start Date: Required Date: Reference:	12/03/12 12/07/12	Start Qty: 6.00 Req'd Qty: 6.00	*6* *6*		Cust Item I Customer:	D:					
Approvals:		an:	Date:	_		ate:		.]	Run Sta	1/1	R1* R2*
Sequence ID/ Work Center II 130 *120* QC Quality Control	D	Operation Description QC8- Inspect parts - second	and check	Set Up/ Run Hours 0.00	Tool ID 13/04	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
*140 *140 *HandFinish Hand Finishing		Chemical Conversion Co	oat per QS1005 4.1	0.00				5)	p 1	mf	13/5
*150 *150* Powdercoat Powder Coating	1264	White Gloss(Ref:4.3.5.1) Memo START TIM	E: $12'$	0.00 0 0 0 OVEN TEMPERATURE 1 0 0 0 0 0 0 0 0 0 0	3:		S	XJ	Mg	L-13,	1.4/

Page 2

m125069

				DQA:	Date:	
VICB.	Voc /	No	WORK ORDER NON-CONFORMANCE / LIPDATE			

									QA Closed:	Date	2:
Work Orde					DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
Part N	-				Rework Scrap	1	Skid-tube Machining	Crosstube Small Fab	Pro	Water Jet	Engineering Quality
NCR N	lo				Use-as-is Work Order Update	The	rmoforming Large Fab	Finishing Composite	Rec/Sto	re/Packaging Supplier	Other
Root				Descri	ption of work order update	Initial	A	ction	Sign &		
Cause	Dat	e Step	Qty		or Non-conformance	Chief En	g Des	cription	Date	Verification	QC Inspector
Doc/Data											
Equip/Tooling											
Operator				}							
Material											
Setup										:	
Other											
Process		1									
Supplier				:							
Training											
Unapproved											
,					F	AULT CAT	EGORY				
Landi	ng Gear				General				_		
	Bendi	ng			Bend	Grair	l		Ovalized	L	Pressure/Forced
	Centre	Not Conce	ntric to	o/s	BOM/Route	Hardy	vare		Over/Under	tolerance	Temperature/Cure
	Cracks				Broken/Damaged	Inspe	ction Incomplete		Part Incorre	ct	Weld
	Crush	ed/Crimped			Burrs	Instru	ctions Incomplete	e/Unclear	Part Lost/M	issing	Wrong Stock Pulled
	Cuffs				Contamination	Main	tenance		Part Moved		
	Heat 1	reat			Countersink	Misla	beled		Positioned \	Wrong _	
	Insped	tion Strip in	Tube		Cut Too Short	Misre	ad		Power Loss,	'Surge	Other
	Ripple	s in Bend			Drill Holes	Offse	t				
	Torqu	e Waves in I	Extrusio	n [_	Drawing	Out o	f Calibration				· · · ·
ľ	Turnir	g Sequence	<u> </u>		Finish	Out o	f Sequence				

Outside Dimensions

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Wave/Twist in Tube

Folio

Work Orde	er ID 93897 2 2:43:54 PM		*938	397*		Page 3
Item ID: Revision ID: Item Name:	D2939-1 Saddle LH In, 206		Accept	*N90004010	na * Setup	Start *NS1* Stop *NS2*
Start Date: Required Date: Reference:	12/03/12 Start Qty: 6.00 12/07/12 Req'd Qty: 6.00			Cust Item ID: Customer:		
Approvals:	Process Plan:	Date:	Tooling: SPC (Y/N):	Date: Date:	Run	Start *NR1* Stop *NR2*
Sequence ID/ Work Center II 160 *160* QC Quality Control	Operation Description QC3- Inspect Part Fin	nish	Set Up/ Run Hours 0.00	Tool ID Tool # Pla Co		ject Reject Insp. y Number Stamp 13-4-8.
170 *170* Packaging Packaging	ldentify as per dwg & Memo	& Stock Location 57	0.00		5x .	134-9.
180 *1 R \n* QC Quality Control	QC21- Final Inspecti Mem o	on - Work Order Release	0.00		127	13-4-9

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-O	CONFO	RM/	ANCE / UPDATE			!	
											QA Closed:	Date:	
Work Ord	er:					DISPOSITION			AGAI	NST DE	EPARTMENT,	/PROCESS	
Part N					 -	Rework Scrap Use-as-is	The	Ma rmof	kid-tube Crosst achining Small forming Finis	Fab hing	⊣	Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other
NCR N	۱o.					Work Order Update]	La	orge Fab Compo	site	<u> </u>	Supplier] []
Root			i	!	Descri	ption of work order update	Initial		Action		Sign &		
Cause		Date	Step	Qty	1	or Non-conformance	Chief Er	- 1	Description		Date	Verification	QC Inspector
oc/Data								1			1 :		,
quip/Tooling]						
perator			-										
/laterial											!		,
etup													
Other													
rocess								1			i		
upplier													
raining													
Inapproved												1	
						F	AULT CA	ΓEGO	DRY				
Landi	ng (Gear			,	General					<u> </u>		_
		Bending				Bend	Grain	า		L	Ovalized		Pressure/Forced
		Centre No	ot Concer	ntric to	o/s	BOM/Route	Hard	ware			Over/Under	tolerance	Temperature/Cure
		Cracks				Broken/Damaged	Inspe	ction	Incomplete		Part Incorred	ct	Weld
		Crushed/0	Crimped.			Burrs	Instru	uction	ns Incomplete/Unclear		Part Lost/Mi	ssing	Wrong Stock Pulled
ſ		Cuffs				Contamination	Mair	ntena	ance		Part Moved		
ĺ		Heat Trea	t			Countersink	Misla	beled	d		Positioned V	Vrong	

Misread

Out of Calibration

Out of Sequence

Outside Dimensions

Offset

Other

Power Loss/Surge

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Inspection Strip in Tube

Torque Waves in Extrusion

Cut Too Short

Drill Holes

Drawing

Finish

Folio

Work Order ID:

93897

Parent Item:

D2939-1

Parent Item Name:

Saddle LH In, 206

Comments:

IPP: B00.06.26New DWG rev (mpp 2069)EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-001		Manufactured	No			100	Each	117.0000	1	6	1 13	\- \ -\-\	77
Saddle Billet												<u>ی بہ ر</u>	×_!
				Location		Loc Qty	Lo Lo	c Code					
				MAT040		106			<u></u>				
				6967	7	2							
				7683		1							
				8192		1							
				9123		30							• ,
				9123		60							•
				9259.	5	12							
				MAT042		1							
				8330	9	1							
				MAT045		10							
				9255	0	10							
				CM	139				6				

Start Date: 12/03/12

Start Qty: 6.00

Page 1

Required Date: 12/07/12

Required Qty: 6.00

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-C	100	NFOR	MANCE / UP	DATE		1	
									<u> </u>		QA Closed	Date:	· · · · · · · · · · · · · · · · · · ·
Vork Ord	er:					DISPOSITION				AGAINST D	EPARTMENT	/PROCESS	
Part						Rework Scrap Use-as-is		Thern	Skid-tube Machining noforming	Crosstube Small Fab Finishing	_	Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other
NCR	No.					Work Order Update]		Large Fab	Composite		Supplier	
Root					Descri	ption of work order update		nitial	Ac	tion	Sign &		
Cause		Date	Step	Qty		or Non-conformance	Ch	ief Eng	Desc	ription	Date	Verification	QC Inspector
c/Data	"												
uip/Tooling	Г										1		
erator			1								,		
aterial	Г											1	
tup	Г		<u> </u>		,						1		
her				:									
ocess	Г												
pplier	Г											Ē	1
aining]							:				,
approved					1								, A7
		•		٠.		F	AUL	T CATE	GORY				
Landi	ng (Gear				General	•						
		Bending				Bend		Grain			Ovalized		Pressure/Forced
		Centre No	ot Concer	ntric to	o/s	BOM/Route		Hardwa	re		Over/Unde	tolerance	Temperature/Cure
		Cracks	*			Broken/Damaged		Inspecti	on Incomplete	Γ	Part Incorre	ct	Weld
		Crushed/0	Crimped.			Burrs		Instruct	ions Incomplete/	Unclear	Part Lost/N	issing	Wrong Stock Pulled
		Cuffs				Contamination		Mainte	nance	Γ	Part Moved		
		Heat Trea	t			Countersink		Mislabe	led	Γ	Positioned	Wrong	
		Inspection	n Strip in	Tube		Cut Too Short		Misread	·	·	Power Loss	/Surge	Other
		Ripples in	Bend			Drill Holes		Offset		_			
		Torque W	aves in E	xtrusio	1	Drawing		Out of 0	Calibration				
		Turning Se	equence			Finish		Out of 9	Sequence				

Outside Dimensions

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Wave/Twist in Tube

Folio

DART AEROSPACE LTD	Work Order:	93897
Description: 206 Saddle, Inboard, Left side	Part Number:	D2939-1
Inspection Dwg: D2939 Rev. C		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2939 Rev. C and record below:

				Re	corded Act	ual Dimensi	ions		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.100	0.140		-122	-122	-122	121		
В	0.100	0.140		-122	- 1 <i>2</i> 2	122	1,121		
С	0.100	0.140		- iai	121	iai	12121		
D	0.210	0.230		-221	221	2221	22		
E	1.245	1.255		1.250	1.250	1,250	1.250		
F	1.245	1.255		1250	1.250	1.250	1-250		
G	2.495	2.505		2500	2.500	2,500	2.500		
H	0.510	0.515		512	,512	-512	-512		
1	1.572	1.582		1.544	1 27	1.534	1577		
J	2.495	2.505		2,500	2.500	2.500	2.500		
K	0.257	0.262		258		258	258		
L	0.312	0.317		. 313	-258 -3B -239	-313	313		.,,
M	0.235	0.240		238	2339	238	-313 -238	 	
N	0.100	0.140		121 548	1.1271		TÕI		
0	0.540	0.560		548	548	-549	-548		
P	0.490	0.510		497	-548 -499	1199	. 500		
Q	3.715	3.725		3,720	3,720	3,420	3.720		
R	2.720	2.760		OHF-Q	2.740	2:440	2.740		
S	0.240	0.270		,251	251	25	251		
T	0.100	0.180		- 130	130	-130	-130		
U	1.625	1.635		1630	1-630	1-630	7.630	-	
V	1.362	1.372		1364	1.367	1364	1-367		
W	0.316	0.321		3/6	316	-316	-316	-	
Χ	1.250	1.270		1,262	1262	1.262	700	-	
Y	1.565	1.585	DT8695 A/B	1577	1227	17637	1.31.2	 	····
Ż	0.178	0.198		-188	188	-188	-188		
ĀA				-100	1-100	-100	-100		
AB						 			
AC					 				
AD									
AE									74,0
AF					 				
AG		····				-			
AH						<u> </u>			
7 11 1	Acc	ept/Reje	ct						

			1	
Measured by:	Audited by			,
Date: 3-3-27	Date:	13/	04/	DI

	ange	Revised by	Approved
A Nev	w Issue	RF	
	ormat; Added Dim. X-Y, DT8683, DT8686, DT8690 & 8695 A/B	KJ/RF	1
C 07.03.21 Rev	vised per drawing revision C	KJ/JLM	Gul/


DART AEROSPACE LTD	Work Order:	93897	
Description: 206 Saddle, Inboard, Left side	Part Number:	D2939-1	
Inspection Dwg: D2939 Rev. C		Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing D2939 Rev. C and record below:

			ngitted on mape	Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	15	26	3	4	Ву	Date
Α	0.100	0.140		121	-122				
_ B	0.100	0.140		121	120				
С	0.100	0.140		-120	-120				
D	0.210	0.230		220	-220				
E	1.245	1.255		1.250	1-250				
F	1.245	1.255		1,250	1,250				
G	2.495	2.505		2.500	2,500				
Н	0.510	0.515		-512	-512				
1	1.572	1.582		1.577	1.544				
J	2.495	2.505		2.500	2.500				
K	0.257	0.262		.258	-258				
L	0.312	0.317		2313	-313			1	
M	0.235	0.240		-2375	23X				
N	0.100	0.140		Jai	-119				
0	0.540	0.560		-548	548			 - 	
Р	0.490	0.510		499	.500			++	
Q	3.715	3.725		3.720	3,720			1	
R	2.720	2.760		2-740	2:40				
S	0.240	0.270		-250	-251				
T	0.100	0.180		- 130	-130		· · · · · · · · · · · · · · · · · · ·		
U	1.625	1.635		1.630	1.630		···		
٧	1.362	1.372		1-367	1-364				
W	0.316	0.321		-316	-316			+ +	
X	1.250	1.270		1,262	1.261			+	
Υ	1.565	1.585	DT8695 A/B	1577	1.576			1 1	-
Z	0.178	0.198		-188	1881			+	
AA								 	<u></u>
AB							 · .	+	
AC								+ +	
AD								+ +	
AE								++	
AF		*						+	
AG									
АН				-			· -	 	
	Acc	ept/Reje	ct					+ - +	

г			_			
	Measured by: I	l 4		Audited by	ما ال	
H		12 2 0	4	- radica by		<i></i>
	Date:	13-3-27	1	Date:	13/n4	01
_	·	13 3 & (Date.		1//

Rev	Date	Change	Revised by	Approved	
Α		New Issue	RF		
В	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690 & DT8695 A/B	KJ/RF	1	
С	07.03.21	Revised per drawing revision C	KJ/JLM ox	Gil!	
			· · · · · · · · · · · · · · · · · · ·	' /~/	



SHOP COPY

RETURN TO

ENGINEERING
UNCON FROIT LED COPY
SUBJECT TO AMENUMI NI
WITHOUT NOTICE
WORK ORDER
NO. 93897 MLJ

